#### Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e. g., as offprints), all translation rights as well as the rights to publish the article in any electronic form. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA. Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0012-186X, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Springer-Verlag Berlin Heidelberg New York London Paris Tokyo Hong Kong Barcelona Budapest Printed in Germany by aprinta Wemding

© Springer-Verlag Berlin Heidelberg 1997

Springer-Verlag GmbH & Co.KG, D-14197 Berlin, Germany

## **Contents**

## Full instructions to authors

issue 1, issue 7

## **Editorial**

Ferrannini E.: The Editor takes leave 1369

#### Review

Eriksson J., Taimela S., Koivisto V. A.: Exercise and the metabolic syndrome 125

Holman G. D., Kasuga M.: From receptor to transporter: insulin signalling to glucose transport 991

McCance D. R., Hanson R. L., Pettitt D. J., Bennett P. H., Hadden D. R., Knowler W. C.: Diagnosing diabetes mellitus – do we need new criteria? 247

Rorsman P.: The pancreatic beta-cell as a fuel sensor: an electrophysiologist's viewpoint 487

Stumvoll M., Meyer C., Mitrakou A., Nadkarni V., Gerich J. E.: Renal gluose production and utilization: new aspects in humans 749

Tritos N. A., Mantzoros C. S.: Leptin: its role in obesity and beyond 1371

## **Originals**

Andersen H., Gadeberg P.C., Brock B., Jakobsen J.: Muscular atrophy in diabetic neuropathy: a stereological magnetic resonance imaging study 1062

Barberà A., Fernàndez-Alvarez J., Truc A., Gomis R., Guinovart J.J.: Effects of tungstate in neonatally streptozotocin-induced diabetic rats: mechanism leading to normalization of glycaemia 143

Barnas U., Schmidt A., Illievich A., Kiener H. P., Rabensteiner D., Kaider A., Prager R., Abrahamian H., Irsigler K., Mayer G.: Evaluation of risk factors for the development of nephropathy in patients with IDDM.: insertion/deletion angiotensin converting enzyme gene polymorphism, hypertension and metabolic control 327

Beks P.H.J., Mackaay A.J.C., de Vries H., de Neeling J.N.D., Bouter L.M., Heine R.J.: Carotid artery stenosis is related to blood glucose level in an elderly Caucasian population: the Hoorn Study 290

Best L.: Glucose and α-ketoisocaproate induce transient inward currents in rat pancreatic beta cells 1

Bieg S., Möller C., Olsson T., Lernmark A.: The lymphopenia (*lyp*) gene controls the intrathymic cytokine ratio in congenic BioBreeding rats 786

Bott S., Bott U., Berger M., Mühlhauser I.: Intensified insulin therapy and the risk of severe hypoglycaemia 926

Bouwens L., Lu W.G., De Krijger R.: Proliferation and differentiation in the human fetal endocrine pancreas 398

Brunner E.J., Marmot M.G., Nanchahal K., Shipley M.J., Stansfeld S.A., Juneja M., Alberti K.G. M.M.: Social inequality in coronary risk: central obesity and the metabolic syndrome. Evidence from the Whitehall II study 1341

Brussaard H. E., Gevers Leuven J. A., Frölich M., Kluft C., Krans H. M. J.: Short term oestrogen replacement therapy improves insulin resistance, lipids and fibrinolysis in postmenopausal women with NIDDM 843

Cameron N. E., Cotter M. A., Basso M., Hohman T. C.: Comparison of the effects of inhibitors of aldose reductase and sorbitol dehydrogenase on neurovascular function, nerve conduction and tissue polyol pathway metabolites in streptozotocin-diabetic rats 271

Canavan J. P., Flecknell P. A., New J. P., Alberti K. G. M. M., Home P. D.: The

#### Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e. g., as offprints), all translation rights as well as the rights to publish the article in any electronic form. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA. Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0012-186X, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Springer-Verlag Berlin Heidelberg New York London Paris Tokyo Hong Kong Barcelona Budapest Printed in Germany by aprinta Wemding

© Springer-Verlag Berlin Heidelberg 1997

Springer-Verlag GmbH & Co.KG, D-14197 Berlin, Germany

## **Contents**

## Full instructions to authors

issue 1, issue 7

## **Editorial**

Ferrannini E.: The Editor takes leave 1369

#### Review

Eriksson J., Taimela S., Koivisto V. A.: Exercise and the metabolic syndrome 125

Holman G. D., Kasuga M.: From receptor to transporter: insulin signalling to glucose transport 991

McCance D. R., Hanson R. L., Pettitt D. J., Bennett P. H., Hadden D. R., Knowler W. C.: Diagnosing diabetes mellitus – do we need new criteria? 247

Rorsman P.: The pancreatic beta-cell as a fuel sensor: an electrophysiologist's viewpoint 487

Stumvoll M., Meyer C., Mitrakou A., Nadkarni V., Gerich J. E.: Renal gluose production and utilization: new aspects in humans 749

Tritos N. A., Mantzoros C. S.: Leptin: its role in obesity and beyond 1371

## **Originals**

Andersen H., Gadeberg P.C., Brock B., Jakobsen J.: Muscular atrophy in diabetic neuropathy: a stereological magnetic resonance imaging study 1062

Barberà A., Fernàndez-Alvarez J., Truc A., Gomis R., Guinovart J.J.: Effects of tungstate in neonatally streptozotocin-induced diabetic rats: mechanism leading to normalization of glycaemia 143

Barnas U., Schmidt A., Illievich A., Kiener H. P., Rabensteiner D., Kaider A., Prager R., Abrahamian H., Irsigler K., Mayer G.: Evaluation of risk factors for the development of nephropathy in patients with IDDM.: insertion/deletion angiotensin converting enzyme gene polymorphism, hypertension and metabolic control 327

Beks P.H.J., Mackaay A.J.C., de Vries H., de Neeling J.N.D., Bouter L.M., Heine R.J.: Carotid artery stenosis is related to blood glucose level in an elderly Caucasian population: the Hoorn Study 290

Best L.: Glucose and α-ketoisocaproate induce transient inward currents in rat pancreatic beta cells 1

Bieg S., Möller C., Olsson T., Lernmark A.: The lymphopenia (*lyp*) gene controls the intrathymic cytokine ratio in congenic BioBreeding rats 786

Bott S., Bott U., Berger M., Mühlhauser I.: Intensified insulin therapy and the risk of severe hypoglycaemia 926

Bouwens L., Lu W.G., De Krijger R.: Proliferation and differentiation in the human fetal endocrine pancreas 398

Brunner E.J., Marmot M.G., Nanchahal K., Shipley M.J., Stansfeld S.A., Juneja M., Alberti K.G. M.M.: Social inequality in coronary risk: central obesity and the metabolic syndrome. Evidence from the Whitehall II study 1341

Brussaard H. E., Gevers Leuven J. A., Frölich M., Kluft C., Krans H. M. J.: Short term oestrogen replacement therapy improves insulin resistance, lipids and fibrinolysis in postmenopausal women with NIDDM 843

Cameron N. E., Cotter M. A., Basso M., Hohman T. C.: Comparison of the effects of inhibitors of aldose reductase and sorbitol dehydrogenase on neurovascular function, nerve conduction and tissue polyol pathway metabolites in streptozotocin-diabetic rats 271

Canavan J. P., Flecknell P. A., New J. P., Alberti K. G. M. M., Home P. D.: The effect of portal and peripheral insulin delivery on carbohydrate and lipid metabolism in a miniature pig model of human IDDM 1125

Cavalot F., Russo I., Mattiello L., Anfossi G., Massucco P., Mularoni E., Hahn A. W., Trovati M.: Influence of protamine on adhesion, chemotaxis and proliferation of human vascular smooth muscle cells 67

Charles M. A., Eschwège E., Thibult N., Claude J.-R, Warnet J.-M, Rosselin G. E., Girard J., Balkau B.: The role of non-esterified fatty acids in the deterioration of glucose tolerance in Caucasian subjects: results of the Paris Prospective Study 1101

Chibber R., Molinatti P. A., Rosatto N., Lambourne B., Kohner E. M.: Toxic action of advanced glycation end products on cultured retinal capillary pericytes and endothelial cells: relevance to diabetic retinopathy 156

Clodi M., Oberbauer R., Waldhäusl W., Maurer G., Kostner G. M., Kostner K.: Urinary excretion of apo(a) fragments in NIDDM patients 1455

Combettes-Souverain M., Pénicaud L., Ferré P., Issad T.: Increased mitogenactivated protein kinase expression and activity in white adipose tissue of ventromedial hypothalamus-lesioned rats 533

Cominacini L., Fratta Pasini A., Garbin U., Campagnola M., Davoli A., Rigoni A., Zenti M. G., Pastorino A. M., Lo Cascio V.: E-Selectin plasma concentration is influenced by glycaemic control in NIDDM patients: possible role of oxidative stress 584

Cominacini L., Garbin U., Pastorino A. M., Campagnola M., Fratta Pasini A., Davoli A., Rigoni A., Lo Cascio V.: Effects of troglitazone on in vitro oxidation of LDL and HDL induced by copper ions and endothelial cells 165

Cominacini L., Young M. M. R., Capriati A., Garbin U., Fratta Pasini A., Campagnola M., Davoli A., Rigoni A., Contessi G. B., Lo Cascio V.: Troglitazone increases the resistance of low density lipoprotein to oxidation in healthy volunteers 1211

Couillard C., Mauriège P., Prud'homme D., Nadeau A., Tremblay A., Bouchard C., Després J.-P.: Plasma leptin concentrations: gender differences and associations with metabolic risk factors for cardiovascular disease 1178

Crosson S. M., Davies G. F., Roesler W. J.: Hepatic expression of CCAAT/enhancer binding protein a: hormonal and metabolic regulation in rats 1117

De Cosmo S., Bacci S., Piras G.P., Cignarelli M., Placentino G., Margaglione M., Colaizzo D., Di Minno G., Giorgino R., Liuzzi A., Viberti G.C.: High prevalence of risk factors for cardiovascular disease in parents of IDDM patients with albuminuria

De Vos P., De Haan B. J., Wolters G. H. J., Strubbe J. H., Van Schilfgaarde R.: Improved biocompatibility but limited graft survival after purification of alginate for microencapsulation of pancreatic islets 262

Del Prato S., Matsuda M., Simonson D.C., Groop L.C., Sheehan P., Leonetti F., Bonadonna R. C., DeFronzo R. A.: Studies on the mass action effect of glucose in NIDDM and IDDM .: evidence for glucose resistance 687

Del Prete D., Anglani F., Forino M., Ceol M., Fioretto P., Nosadini R., Baggio B., Gambaro G.: Down-regulation of glomerular matrix metalloproteinase-2 gene in human NIDDM 1449

Doria A., Onuma T., Warram J. H., Krolewski A. S.: Synergistic effect of angiotensin II type 1 receptor genotype and poor glycaemic control on risk of nephropathy in IDDM 1293

Faronato P.P., Maioli M., Tonolo G., Brocco E., Noventa F., Piarulli F., Abaterusso C., Modena F., Bigontina G. de, Velussi M., Inchiostro S., Santeusanio F., Bueti A., Nosadini R., on behalf of the Italian N. I. D. D.M. Nephropathy Study Group: Clustering of albumin excretion rate abnormalities in Caucasian patients with NIDDM

Foley R. N., Culleton B. F., Parfrey P.S., Harnett J.D., Kent G.M., Murray D. C., Barre Paul E.: Cardiac disease in diabetic end-stage renal disease 1307

Foulis A. K., McGill M., Farquharson M. A., Hilton D. A.: A search for evidence of viral infection in pancreases of newly diagnosed patients with IDDM 53

Fraser R. B., Rowden G., Colp P., Wright J. R. Jr: Immunophenotyping of insulitis in control and essential fatty acid deficient mice treated with multiple low-dose streptozotocin 1263

Frattola A., Parati G., Gamba P., Paleari F., Mauri G., Di Rienzo M., Castiglioni P., Mancia G.: Time and frequency domain estimates of spontaneous baroreflex sensitivity provide early detection of autonomic dysfunction in diabetes mellitus 1470

Frénais R., Ouguerram K., Maugeais C., Mahot P., Maugère P., Krempf M., Magot T.: High density lipoprotein apolipoprotein AI kinetics in NIDDM.: a stable isotope study 578

Frittitta L., Youngren J.F., Sbraccia P., D'Adamo M., Buongiorno A., Vigneri R., Goldfine I.D., Trischitta V.: Increased adipose tissue PC-1 protein content, but not tumour necrosis factor-α gene expression, is associated with a reduction of both whole body

insulin sensitivity and insulin receptor tyrosine-kinase activity 282

Gannon M. C., Nuttall F. Q.: Effect of feeding, fasting, and diabetes on liver glycogen synthase activity, protein, and mRNA 758

Gearon C.L., Hussain M.J., Vergani D., Peakman M.: Lymphocyte vaccination protects prediabetic non-obese diabetic mice from developing diabetes mellitus 1388

Gerbi A., Barbey O., Raccah D., Coste T., Jamme I., Nouvelot A., Ouafik L., Lévy S., Vague P., Maixent J.-M.: Alteration of Na,K-ATPase isoenzymes in diabetic cardiomyopathy: effect of dietary supplementation with fish oil (n-3 fatty acids) in rats 496

Gilbert R. E., Cox A., McNally P.G., Wu L. L., Dziadek M., Cooper M. E., Jerums G.: Increased epidermal growth factor in experimental diabetes related

kidney growth 778

Goh Y. K., Jumpsen J. A., Ryan E. A., Clandinin M.T.: Effect of  $\omega$ 3 fatty acid on plasma lipids, cholesterol and lipoprotein fatty acid content in NIDDM patients 45

Greaves M., Malia R. G., Goodfellow K., Mattock M., Stevens L. K., Stephenson J.M., Fuller J.H., and the E.U.R.O. D.IABI. D. D. M. Complications Study Group: Fibrinogen and von Willebrand factor in IDDM.: relationships to lipid vascular risk factors, blood pressure, glycaemic control and urinary albumin excretion rate: the **EURODIAB IDDM complications** study 698

Green G. M., Guan D., Schwartz J. G., Phillips W. T.: Accelerated gastric emptying of glucose in Zucker type 2 diabetic rats: role in postprandial hyperglycaemia 136

Haffner S. M., Gonzalez C., Mykkänen L., Stern M.: Total immunoreactive proinsulin, immunoreactive insulin and specific insulin in relation to conversion to NIDDM .: the Mexico City Diabetes Study 830

Haffner S. M., Miettinen H., Stern M. P.: Are risk factors for conversion to NIDDM similar in high and low risk populations? 62

Haffner S. M., Miettinen H., Stern M. P.: Relatively more atherogenic coronary heart disease risk factors in prediabetic women than in prediabetic men 711

Hagström-Toft E., Bolinder J., Ungerstedt U., Arner P.: A circadian rhythm in lipid mobilization which is altered in **IDDM** 1070

Hamann A., Büsing B., Kausch C., Ertl J., Preibisch G., Greten H., Matthaei S.: Chronic leptin treatment does not prevent the development of obesity in transgenic mice with brown fat deficiency 810

Hammes H. P., Bartmann A., Engel L., Wülfroth P.: Antioxidant treatment of experimental diabetic retinopathy in rats with nicanartine 629

Hansen L., Arden K. C., Rasmussen S. B., Viars C. S., Vestergaard H., Hansen T., Møller A. M., Woodgett J. R., Pedersen O.: Chromosomal mapping and mutational analysis of the coding region of the glycogen synthase kinase- $3\alpha$  and  $\beta$ isoforms in patients with NIDDM 940

Hart W. M., Espinosa C., Rovira J.: A simulation model of the cost of the incidence of IDDM in Spain 311

Hartmann B., Bellmann K., Ghiea I., Kleemann R., Kolb H.: Oral insulin for diabetes prevention in NOD mice: potentiation by enhancing Th2 cytokine expression in the gut through bacterial adjuvant 902

Hatfield E.C.I., Hawkes C.J., Payton M.A., Christie M.R.: Cross reactivity between IA-2 and phogrin/IA-2β in binding of autoantibodies in IDDM

1327

Haynes J. M., Hodgson W. C., Cooper M. E.: Rat amylin mediates a pressor response in the anaesthetised rat: implications for the association between hypertension and diabetes mellitus 256

Henriksen J. E., Alford F., Ward G. M., Beck-Nielsen H.: Risk and mechanism of dexamethasone-induced deterioration of glucose tolerance in non-diabetic first-degree relatives of NIDDM

patients 1439

Hosokawa H., Corkey B. E., Leahy J. L.: Beta-cell hypersensitivity to glucose following 24-h exposure of rat islets to

fatty acids 392

Humphriss D. B., Stewart M. W., Berrish T. S., Barriocanal L. A., Trajano L. R., Ashworth L. A., Brown M. D., Miller M., Avery P. J., Alberti K. G. M. M., Walker M.: Multiple metabolic abnormalities in normal glucose tolerant relatives of NIDDM families 1185

Ishikawa T., Naito Y., Taniguchi K.: Changes in the immunoreactivity of protein gene product (PGP) 9.5 in the cochlea of spontaneously diabetic

WBN/Kob rats 173

Jaap A. J., Shore A. C., Tooke J. E.: Relationship of insulin resistance to microvascular dysfunction in subjects with fasting hyperglycaemia 238

Jones S. C., Thomas T. H., Marshall S. M.: Thiol group modulation of sodium-lithium countertransport kinetics in diabetic nephropathy 1079

Kanzaki T., Shiina Ř., Saito Y., Zardi L., Morisaki N.: Transforming growth factor-β receptor and fibronectin expressions in aortic smooth muscle cells in diabetic rats 383

Kernell A., Dedorsson I., Johansson B., Wickström C. P., Ludvigsson J., Tuvemo T., Neiderud J., Sjöström K., Malmgren K., Kanulf P., Mellvig L., Gjötterberg M., Sule J., Persson LÅ, Larsson L. I., Åman J., Dahlquist G.: Prevalence of diabetic retinopathy in children and adolescents with IDDM. A population-based multicentre study 307

Keymeulen B., Anselmo J., Pipeleers D.: Length of metabolic normalization after rat islet cell transplantation depends on endocrine cell composition of graft and on donor age 1152

Knowler W. C., Sartor G., Melander A., Scherstén B.: Glucose tolerance and mortality, including a substudy of tol-

butamide treatment 680

Kong M.-F, King P., Macdonald I. A., Stubbs T. A., Perkins A. C., Blackshaw P. E., Moyses C., Tattersall R. B.: Infusion of pramlintide, a human amylin analogue, delays gastric emptying in men with IDDM 82

Koren W., Koldanov R., Pronin V.S., Postnov I. Y., Peleg E., Rosenthal T., Berezin M., Postnov Y. V.: Amiloridesensitive Na<sup>+</sup>/H<sup>+</sup> exchange in erythrocytes of patients with NIDDM.: a pro-

spective study 302

Körner A., Jaremko G., Eklöf A.-C, Aperia A.: Rapid development of glomerulosclerosis in diabetic Dahl saltsensitive rats 367

Larsen J.J.S., Dela F., Kjær M., Galbo H.: The effect of moderate exercise on postprandial glucose homeostasis in

NIDDM patients 447

Lebrun P., Ántoine M.-H, Ouedraogo R., Pirotte B., Herchuelz A., Cosgrove K. E., Kane C., Dunne M. J.: Verapamil, a phenylalkylamine Ca<sup>2+</sup> channel blocker, inhibits ATP-sensitive K<sup>+</sup> channels in insulin-secreting cells from rats 1403

Leon-Quinto T., Adnot P., Portha B.: Alteration of the counterregulatory hormones in the conscious rat after protein-energy restriction 1028

Liang Y., Buettger C., Berner D. K., Matschinsky F.M.: Chronic effect of fatty acids on insulin release is not through the alteration of glucose metabolism in a pancreatic beta-cell line (β HC9) 1018

Liese A. D., Mayer-Davis E. J., Tyroler H. A., Davis C. E., Keil U., Schmidt M. I., Brancati F. L., Heiss G.: Familial components of the multiple metabolic syndrome: the ARIC Study 963

Lotfi K., Sund G., Lowe R., Graham J., Landin-Olsson M., Kockum I., Deeb S., Lernmark Å, the Diabetes Incidence Study in Sweden (DISS)\*: The beta cell glucokinase promoter variant is an unlikely risk factor for diabetes Mellitus 959

Ma Z., Westermark G.T., Li Z.-C, Engström U., Westermark P.: Altered immunoreactivity of islet amyloid polypeptide (IAPP) may reflect major modifications of the IAPP molecule in amyloidogenesis 793

Maheux P., Azhar S., Kern P. A., Chen Y.-D. I., Reaven G. M.: Relationship between insulin-mediated glucose disposal and regulation of plasma and adipose tissue lipoprotein lipase 850

Maheux P., Chen Y.-D. I., Polonsky K. S., Reaven G. M.: Evidence that insulin can directly inhibit hepatic glucose

production 1300

Malkki M., Laakso M., Deeb S.S.: The human hexokinase II gene promoter: functional characterization and detection of variants among patients with NIDDM 1461

Malmström R., Packard C.J., Caslake M., Bedford D., Stewart P., Yki-Järvinen H., Shepherd J., Taskinen M.-R.: Defective regulation of triglyceride metabolism by insulin in the liver in NIDDM 454

Marette A., Mauriège P., Marcotte B., Atgié C., Bouchard C., Thériault G., Bukowiecki L. J., Marceau P., Biron S., Nadeau A., Després J.-P.: Regional variation in adipose tissue insulin action and GLUT4 glucose transporter expression in severely obese premenopausal women 590

Marshall J. A., Bessesen D. H., Hamman R. F.: High saturated fat and low starch and fibre are associated with hyperinsulinaemia in a non-diabetic population: The San Luis Valley Diabetes

Study 430

Matsuoka N., Ogawa Y., Hosoda K.,
Matsuda J., Masuzaki H., Miyawaki T.,
Azuma N., Natsui K., Nishimura H.,
Yoshimasa Y., Nishi S., Thompson
D.B., Nakao K.: Human leptin receptor gene in obese Japanese subjects:
evidence against either obesity-causing mutations or association of sequence variants with obesity 1204
Matsushima M., LaPorte R. E., Maruya-

Matsushima M., LaPorte R. E., Maruyama M., Shimizu K., Nishimura R., Tajima N. for the D. E. R. I. Mortality Study Group: Geographic variation in mortality among individuals with youth-onset diabetes mellitus across the world 212

Mbanya J. C. N., Ngogang J., Salah J. N., Minkoulou E., Balkau B.: Prevalence of NIDDM and impaired glucose tolerance in a rural and an urban popula-

tion in Cameroon 824

McDermott M. F., Ramachandran A.,
Ogunkolade B. W., Aganna E., Curtis
D., Boucher B. J., Snehalatha C., Hitman G. A.: Allelic variation in the vitamin D receptor influences susceptibility to IDDM in Indian Asians 971

McKinney P.A., Parslow R., Gurney K., Law G., Bodansky H.J., Williams D.R.R.: Antenatal risk factors for childhood diabetes mellitus; a casecontrol study of medical record data in

Yorkshire, UK 933

Menè P., Pugliese G., Pricci F., Di Mario U., Cinotti G. A., Pugliese F.: High glucose level inhibits capacitative Ca2+ influx in cultured rat mesangial cells by a protein kinase C-dependent mechanism 521

Merino J. F., Nacher V., Raurell M., Aranda O., Soler J., Montanya E.: Improved outcome of islet transplantation in insulin-treated diabetic mice: effects on beta-cell mass and function 1004

Meynial-Denis D., Chavaroux A., Foucat L., Mignon M., Prugnaud J., Bayle G., Renou J. P., Arnal M.: Contribution of proteolysis and de novo synthesis to alanine production in diabetic rat skeletal muscle: a 15N/1H nuclear magnet-

ic resonance study 1159

Miele C., Formisano P., Condorelli G., Caruso M., Oriente F., Andreozzi F., Tocchetti C.G., Riccardi G., Beguinot F.: Abnormal glucose transport and GLUT1 cell-surface content in fibroblasts and skeletal muscle from NIDDM and obese subjects 421

Mingrone G., DeGaetano A., Greco A. V., Capristo E., Benedetti G., Castagneto M., Gasbarrini G.: Reversibility of insulin resistance in obese diabetic patients: role of plasma lipids

Moberg E., Hagström-Toft E., Arner P., Bolinder J.: Protracted glucose fall in subcutaneous adipose tissue and skeletal muscle compared with blood during insulin-induced hypoglycaemia

Monciotti C. G., Semplicini A., Morocutti A., Maioli M., Cipollina M.R., Barzon I., Palaro C., Brocco E., Trevisan M., Fioretto P., Crepaldi G., Nosadini R.: Elevated sodium-lithium countertransport activity in erythrocytes is predictive of the development of microalbuminuria in IDDM 654

Morishita R., Higaki J., Hayashi S.-I, Yo Y., Aoki M., Nakamura S., Moriguchi A., Matsushita H., Matsumoto K., Nakamura T., Ogihara T.: Role of hepatocyte growth factor in endothelial regulation: prevention of high p-glucose-induced endothelial cell death by prostaglandins and phosphodiesterase type 3 inhibitor 1053

Movassat J., Saulnier C., Serradas P., Portha B.: Impaired development of pancreatic beta-cell mass is a primary event during the progression to dia-

betes in the GK rat 916

Müller C., Assimacopoulos-Jeannet F., Mosimann F., Schneiter Ph, Riou J.P., Pachiaudi C., Felber J. P., Jéquier E., Jeanrenaud B., Tappy L.: Endogenous glucose production, gluconeogenesis

and liver glycogen concentration in obese non-diabetic patients 463

Murata T., Nagai R., Ishibashi T., Inomata H., Ikeda K., Horiuchi S.: The relationship between accumulation of advanced glycation end products and expression of vascular endothelial growth factor in human diabetic retinas 764

Nagamatsu S., Nakamichi Y., Katahira H.: Syntaxin, but not soluble NSF attachment protein (SNAP), biosynthesis by rat pancreatic islets is regulated by glucose in parallel with proinsulin biosynthesis 1396

Nordestgaard B. G., Agerholm-Larsen B., Stender S.: Effect of exogenous hyperinsulinaemia on atherogenesis in cholesterol-fed rabbits 512

Nourooz-Zadeh J., Rahimi A., Tajaddini-Sarmadi J., Tritschler H., Rosen P., Halliwell B., Betteridge D.J.: Relationships between plasma measures of oxidative stress and metabolic control in NIDDM 647

Olson J. A., Whitelaw C. M., McHardy K.C., Pearson D. W.M., Forrester J. V .: Soluble leucocyte adhesion molecules in diabetic retinopathy stimulate retinal capillary endothelial cell migration 1166

Padaiga Z., Tuomilehto J., Karvonen M., Podar T., Brigis G., Urbonaite B., Kohtamäki K., Lounamaa R., Tuomilehto-Wolf E., Reuwanen A.: Incidence trends in childhood onset IDDM in four countries around the Baltic sea during 1983-1992 187

Parslow R. C., McKinney P. A., Law G. R., Staines A., Williams R., Bodansky H. J.: Incidence of childhood diabetes mellitus in Yorkshire, northern England, is associated with nitrate in drinking water: an ecological analysis 550

Passarelli M., Catanozi S., Nakandakare E. R., Rocha J. C., Morton R. E., Shimabukuro A. F. M., Quintão E. C. R.: Plasma lipoproteins from patients with poorly controlled diabetes mellitus and "in vitro" glycation of lipoproteins enhance the transfer rate of cholesteryl ester from HDL to apo-B-containing lipoproteins 1085

Pickup J. C., Mattock M. B., Chusney G.D., Burt D.: NIDDM as a disease of the innate immune system: association of acute-phase reactants and interleukin-6 with metabolic syndrome X

1286

Pieper G. M., Siebeneich W., Moore-Hilton G., Roza A. M.: Reversal by L-arginine of a dysfunctional arginine/nitric oxide pathway in the endothelium of the genetic diabetic BB rat 910

Plagemann A., Harder T., Kohlhoff R., Rohde W., Dörner G.: Glucose tolerance and insulin secretion in children

of mothers with pregestational IDDM or gestational diabetes 1094

Podestá F., Roth T., Ferrara F., Cagliero E., Lorenzi M.: Cytoskeletal changes induced by excess extracellular matrix impair endothelial cell replication

Poulsen P., Vaag A. A., Kyvik K. O., Møller Jensen D., Beck-Nielsen H.: Low birth weight is associated with NIDDM in discordant monozygotic and dizygotic twin pairs 439

Poulsen P.L., Ebbehøj E., Hansen K. W., Mogensen C. E.: 24-h blood pressure and autonomic function is related to albumin excretion within the normoalbuminuric range in IDDM patients

Rachman J., Barrow B. A., Levy J. C., Turner R. C.: Near-normalisation of diurnal glucose concentrations by continuous administration of glucagonlike peptide-1 (GLP-1) in subjects with NIDDM 205

Ramachandran A., Snehalatha C., Latha E., Vijay V., Viswanathan M.: Rising prevalence of NIDDM in an urban population in India 232

Rasch R., Dørup J.: Quantitative morphology of the rat kidney during diabetes and insulin treatment 802

Regoli M., Bendayan M.: Alterations in the expression of the  $\alpha_3\beta_1$  integrin in certain membrane domains of the glomerular epithelial cells (podocytes) in diabetes mellitus 15

Reimer R. A., Field C. J., McBurney M. I .: Ontogenic changes in proglucagon mRNA in BB diabetes prone and normal rats weaned onto a chow diet 871

Ringel J., Beige J., Kunz R., Distler A., Sharma A. M.: Genetic variants of the renin-angiotensin system, diabetic nephropathy and hypertension 193

Rissanen J., Pihlajamäki J., Heikkinen S., Kekäläinen P., Mykkänen L., Kuusisto J., Kolle A., Laakso M.: New variants in the glycogen synthase gene (GIn71-His, Met416Val) in patients with NIDDM from eastern Finland 1313

Roche C., Boutin P., Dina C., Gyapay G., Basdevant A., Hager J., Guy-Grand B., Clément K., Froguel P.: Genetic studies of neuropeptide Y and neuropeptide Y receptors Y1 and Y5 regions in morbid obesity 671

Rothe H., O'Hara R. M. Jr, Martin S., Kolb H.: Suppression of cyclophosphamide induced diabetes development and pancreatic Th1 reactivity in NOD mice treated with the interleukin (IL)-12 antagonist IL-12(p40)<sub>2</sub> 641

Roy S., Roth T.: Proliferative effect of high glucose is modulated by antisense oligonucleotides against fibronectin in rat endothelial cells 1011

Rudnicki P.M., Mølsted-Pedersen L.: Effect of 1,25-dihydroxycholecalciferol

on glucose metabolism in gestational diabetes mellitus 40

Saad M. J. A., Maeda L., Brenelli S. L., Carvalho C. R. O., Paiva R. S., Velloso L. A.: Defects in insulin signal transduction in liver and muscle of pregnant rats 179

Sainsbury A., Rohner-Jeanrenaud F., Cusin I., Zakrzewska K.E., Halban P.A., Gaillard R.C., Jeanrenaud B.: Chronic central neuropeptide Y infusion in normal rats: status of the hypothalamo-

pituitary-adrenal axis, and vagal med-

iation of hyperinsulinaemia 1269

Sakane N., Yoshida T., Umekawa T., Kondo M., Sakai Y., Takahashi T.:  $\beta_3$ adrenergic-receptor polymorphism: a genetic marker for visceral fat obesity and the insulin resistance syndrome 200

Sakura H., Ashcroft F.M.: Identification of four *trp*1 gene variants murine pan-

creatic beta-cells 528

Sasson S., Kaiser N., Dan-Goor M., Oron R., Koren S., Wertheimer E., Unluhizarci K., Cerasi E.: Substrate autoregulation of glucose transport: hexose 6-phosphate mediates the cellular distribution of glucose transporters 30

Schaefer L., Han X., August C., Matzkies F., Lorenz T., Schaefer R. M.: Differential regulation of glomerular gelatinase B (MMP-9) and tissue inhibitor of metalloproteinase-1 (TIMP-1) in obese Zucker rats 1035

Schiel R., Müller U. A., Sprott H., Schmelzer A., Mertes B., Hunger-Dathe W., Ross I. S.: The JEVIN trial: A population-based survey on the quality of diabetes care in Germany: 1994/1995 compared to 1989/1990 1350

Schloot N. C., Roep B. O., Wegmann D., Yu L., Chase H. P., Wang T., Eisenbarth G. S.: Altered immune response to insulin in newly diagnosed compared to insulin-treated diabetic patients and healthy control subjects 564

Schloot N.C., Roep B.O., Wegmann D.R., Yu L., Wang T.B., Eisenbarth G.S.: T-cell reactivity to GAD65 peptide sequences shared with coxsackie virus protein in recent-onset IDDM, post-onset IDDM patients and control subjects 332

Secchi A., Socci C., Maffi P., Taglietti M. V., Falqui L., Bertuzzi F., De Nittis P., Piemonti L., Scopsi L., Di Carlo V., Pozza G.: Islet transplantation in

IDDM patients 225

Sechi L. A., Ceriello A., Griffin C. A., Catena C., Amstad P., Schambelan M., Bartoli E.: Renal antioxidant enzyme mRNA levels are increased in rats with experimental diabetes mellitus 23

Sechi L. A., Griffin C. A., Zingaro L., Valentin J.-P, Bartoli E., Schambelan M.: Effects of angiotensin II on insulin receptor binding and mRNA levels in normal and diabetic rats 770

Shashkin P.N., Shashkina E.F., Fernqvist-Forbes E., Zhou Y.-P, Grill V., Katz A.: Insulin mediators in man: effects of glucose ingestion and insulin resistance 557

Shaw J. E., Abbott C. A., Tindle K., Hollis S., Boulton A. J. M.: A randomised controlled trial of topical glycopyrrolate, the first specific treatment for diabetic gustatory sweating 299

Shepherd P. R., Nave B. T., Rincon J., Haigh R. J., Foulstone E., Proud C., Zierath J. R., Siddle K., Wallberg-Henriksson H.: Involvement of phosphoinositide 3-kinase in insulin stimulation of MAP-kinase and phosphorylation of protein kinase-B in human skeletal muscle: implications for glucose metabolism 1172

Shimomura H., Sanke T., Ueda K., Hanabusa T., Sakagashira S., Nanjo K.: A missense mutation of the muscle glycogen synthase gene (M416V) is associated with insulin resistance in the Ja-

panese population 947

Shoji T., Nishizawa Y., Emoto M., Maekawa K., Hiura Y., Tanaka S., Kawagishi T., Okuno Y., Morii H.: Renal function and insulin resistance as determinants of plasma leptin levels in patients with NIDDM 676

Simán C. M., Eriksson U. J.: Vitamin C supplementation of the maternal diet reduces the rate of malformation in the offspring of diabetic rats 1416

Smismans A., Schuit F., Pipeleers D.: Nutrient regulation of gamma-aminobutyric acid release from islet beta cells 1411

Sonnaville J.J.J. de, Bouma M., Colly L.P., Devillé W., Wijkel D., Heine R.J.: Sustained good glycaemic control in NIDDM patients by implementation of structured care in general practice: 2-year follow-up study 1334

Søren Snitker, Odeleye O. E., Hellmér J., Boschmann M., Monroe M. B., Shuldiner A. R., Ravussin E.: No effect of the Trp64Arg  $\beta_3$ -adrenoceptor variant on in vivo lipolysis in subcutaneous adi-

pose tissue 838

Soulis T., Cooper M. E., Sastra S., Thallas V., Panagiotopoulos S., Bjerrum O., Jerums G.: Relative contributions of advanced glycation and nitric oxide synthase inhibition to aminoguanidine-mediated renoprotection in diabetic rats 1141

Soulis T., Thallas V., Youssef S., Gilbert R. E., McWilliam B. G., Murray-McIntosh R. P., Cooper M. E.: Advanced glycation end products and their receptors co-localise in rat organs susceptible to diabetic microvascular injury 619

Steiner L., Kröncke K.-D, Fehsel K., Kolb-Bachofen V.: Endothelial cells as cytotoxic effector cells: cytokine-activated rat islet endothelial cells lyse syngeneic islet cells via nitric oxide 150

Strack V., Bossenmaier B., Stoyanov B., Mushack J., Häring H. U.: A 973 valine to methionine mutation of the human insulin receptor: interaction with insulin-receptor substrate-1 and Shc in HEK 293 cells 1135

Sugimoto K., Nishizawa Y., Horiuchi S., Yagihashi S.: Localization in human diabetic peripheral nerve of Nε-carboxymethyllysine-protein adducts, an advanced glycation endproduct 1380

Takahara N., Kashiwagi A., Nishio Y., Harada N., Kojima H., Maegawa H., Hidaka H., Kikkawa R.: Oxidized lipoproteins found in patients with NIDDM stimulate radical-induced monocyte chemoattractant protein-1 mRNA expression in cultured human endothelial cells 662

Takahashi Y., Kadowaki H., Momomura K., Fukushima Y., Orban T., Okai T., Taketani Y., Akanuma Y., Yazaki Y., Kadowaki T.: A homozygous kinase-defective mutation in the insulin receptor gene in a patient with lepre-

chaunism 412

Takeuchi Y., Matsutani A., Oka Y.: Detection of variants in the mitochondrial glycerophosphate dehydrogenase gene in Japanese NIDDM patients 339

Thai A. C., Ng W. Y., Loke K. Y., Lee W. R. W., Lui K. F., Cheah J. S.: Anti-GAD antibodies in Chinese patients with youth and adult-onset IDDM and NIDDM 1425

Thompson R. G., Pearson L., Kolterman O. G.: Effects of 4 weeks' administration of pramlintide, a human amylin analogue, on glycaemia control in patients with IDDM.: effects on plasma glucose profiles and serum fructosamine concentrations 1278

Toeller M., Buyken A., Heitkamp G., Brämswig S., Mann J., Milne R., Gries F. A., Keen H. and the E. U. R. O. -D.IABI. D. D. M. Complications Study Group: Protein intake and urinary albumin excretion rates in the EURO-DIAB IDDM Complications Study

Tonolo G., Melis M. G., Ciccarese M., Secchi G., Atzeni M. M., Maioli M., Pala G., Massidda A., Manai M., Pilosu R. M., Li L.-S, Luthman H., Maioli M.: Physiological and genetic characterization of the Gly40Ser mutation in the glucagon receptor gene in the Sardinian population 89

Torchinsky A., Toder V., Savion S., Shepshelovich J., Orenstein H., Fein A.: Immunostimulation increases the resistance of mouse embryos to the teratogenic effect of diabetes mellitus 635 Töyry J. P., Partanen J. V. S., Niskanen L. K., Länsimies E. A., Uusitupa M. I. J.: Divergent development of autonomic and peripheral somatic neuropathies in NIDDM 953

Tschoepe D., Driesch E., Schwippert B., Lampeter E. F.: Activated platelets in subjects at increased risk of IDDM

573

Turpeinen A. K., Kuikka J. T., Vanninen E., Uusitupa M. I. J.: Abnormal myocardial kinetics of 123I-heptadecanoic acid in subjects with impaired glucose tolerance 541

Usui I., Takata Y., Imamura T., Morioka H., Sasaoka T., Sawa T., Ishihara H., Ishiki M., Kobayashi M.: Fatty acid induced insulin resistance in rat-1 fibroblasts overexpressing human insulin receptors: impaired insulin-stimulated mitogen-activated protein kinase activity 894

Vague P., Dufayet D., Coste T., Moriscot C., Jannot M. F., Raccah D.: Association of diabetic neuropathy with Na/K ATPase gene polymorphism 506

- Vér Á, Szántó I., Bányász T., Csermely P., Végh E., Somogyi J.: Changes in the expression of Na+/K+-ATPase isoenzymes in the left ventricle of diabetic rat hearts: effect of insulin treatment
- Velho G., Blanché H., Vaxillaire M., Bel-lanné-Chantelot C., Pardini V. C., Timsit J., Passa Ph, Deschamps I., Robert J.-J, Weber I. T., Marotta D., Pilkis S. J., Lipkind G. M., Bell G. I., Froguel Ph: Identification of 14 new glucokinase mutations and description of the clinical profile of 42 MODY-2 families 217

Wang R. N., Rehfeld J. F., Nielsen F. C., Klöppel G.: Expression of gastrin and transforming growth factor-α during duct to islet cell differentiation in the pancreas of duct-ligated adult rats 887

Wang S.-L, Pan W.-H, Hwu C.-M, Ho L.-T, Lo C.-H, Lin S.-L, Jong Y.-S.: Incidence of NIDDM and the effects of gender, obesity and hyperinsulinaemia in Taiwan 1431

Weinhaus A. J., Poronnik P., Tuch B. E., Cook D. I.: Mechanisms of arginine-induced increase in cytosolic calcium concentration in the beta-cell line

NIT-1 374

Wentzel P., Thunberg L., Eriksson U.J.: Teratogenic effect of diabetic serum is prevented by supplementation of superoxide dismutase and N-acetylcysteine in rat embryo culture 7

Whincup P.H., Cook D.G., Adshead F., Taylor S. J. C., Walker M., Papacosta O., Alberti K. G. M. M.: Childhood size is more strongly related than size at birth to glucose and insulin levels in 10-11-year-old children 319

Wittmann I., Mazák I., Wagner L., Nagy J.: Possible role of free radicals generated by pseudohypoxia in the regulation of hepatic glucose output. An in vitro model using rat liver microsomal glucose 6-phosphatase 1251

Yamada K., Yuan X., Ishiyama S., Koyama K., Ichikawa F., Koyanagi A., Koyama W., Nonaka K.: Association between Ala54Thr substitution of the fatty acid-binding protein 2 gene with insulin resistance and intra-abdominal fat thickness in Japanese men 706

Yki-Järvinen H., Vogt C., Iozzo P., Pipek R., Daniels M. C., Virkamäki A., Mäkimattila S., Mandarino L., DeFronzo R. A., McClain D., Gottschalk W. K .: UDP-N-acetylglucosamine transferase and glutamine: fructose 6-phosphate amidotransferase activities in insulin-

sensitive tissues 76

Yokoyama H., Tomonaga O., Hirayama M., Ishii A., Takeda M., Babazono T., Ujihara U., Takahashi C., Omori Y.: Predictors of the progression of diabetic nephropathy and the beneficial effect of angiotensin-converting enzyme inhibitors in NIDDM patients 405

Yoneda R., Yokono K., Nagata M., Tominaga Y., Moriyama H., Tsukamoto K., Miki M., Okamoto N., Yasuda H., Amano K., Kasuga M.: CD8 cytotoxic T-cell clone rapidly transfers autoimmune diabetes in very young NOD and MHC class I-compatible scid mice 1044

Yu P.H., Zuo D.M.: Aminoguanidine inhibits semicarbazide-sensitive amine oxidase activity: implications for advanced glycation and diabetic complications 1243

Yu Z.-W, Jansson P.-A, Posner B. I., Smith U., Eriksson J. W.: Peroxovanadate and insulin action in adipocytes from NIDDM patients. Evidence against a primary defect in tyrosine phosphorylation 1197

## Rapid communications

Baynes K. C. R., Boucher B. J., Feskens E.J., Kromhout D.: Vitamin D, glucose tolerance and insulinaemia in elderly men 344

Berti L., Kellerer M., Capp E., Häring H. U.: Leptin stimulates glucose transport and glycogen synthesis in C2C12 myotubes: evidence for a PI3-kinase mediated effect 606

Bossenmaier B., Mosthaf L., Mischak H., Ullrich A., Häring H. U.: Protein kinase C isoforms  $\beta 1$  and  $\beta 2$  inhibit the tyrosine kinase activity of the insulin receptor 863

Bulman M. P., Dronsfield M. J., Frayling T., Appleton M., Bain S. C., Ellard S., Hattersley A.T.: A missense mutation in the hepatocyte nuclear factor 4 alpha gene in a UK pedigree with maturity-onset diabetes of the young

Burgos R., Simó R., Audí L., Mateo C., Mesa J., García-Ramírez M., Carrascosa A .: Vitreous levels of vascular endothelial growth factor are not influenced by its serum concentrations in diabetic retinopathy 1107

Ferri C., Bellini C., Desideri G., Baldoncini R., De Siati L., Santucci A.: Elevated plasma endothelin-1 levels as an additional risk factor in non-obese essential hypertensive patients with metabolic abnormalities 100

Garofano A., Czernichow P., Bréant B.: In utero undernutrition impairs rat beta-cell development 1231

Gorus F. K., Goubert P., Semakula C., Vandewalle C. L., De Schepper J., Scheen A., Christie M. R., Pipeleers D.G., the Belgian Diabetes Registry: IA-2-autoantibodies complement GAD<sub>65</sub>-autoantibodies in new-onset IDDM patients and help predict impending diabetes in their siblings 95

Gotoda T., Scott J., Aitman T. J.: Molecular screening of the human melanocortin-4 receptor gene: identification of a missense variant showing no association with obesity, plasma glucose, or

insulin 976

Jenkins A.B., Markovic T.P., Fleury A., Campbell L. V.: Carbohydrate intake and short-term regulation of leptin in humans 348

Kellerer M., Koch M., Metzinger E., Mushack J., Capp E., Häring H. U.: Leptin activates PI-3 kinase in C2C12 myotubes via janus kinase-2 (JAK-2) and insulin receptor substrate-2 (IRS-2) dependent pathways 1358

Kim-Motoyama H., Yasuda K., Yamaguchi T., Yamada N., Katakura T., Shuldiner A. R., Akanuma Y., Ohashi Y., Yazaki Y., Kadowaki T.: A mutation of the  $\beta$ 3-adrenergic receptor is associated with visceral obesity but decreased serum triglyceride 469

Martinenghi S., Comi G., Galardi G., Di Carlo V., Pozza G., Secchi A.: Amelioration of nerve conduction velocity following simultaneous kidney/pancreas transplantation is due to the glycaemic control provided by the pan-

creas 1110

Møller A. M., Urhammer S. A., Dalgaard L.T., Reneland R., Berglund L., Hansen T., Clausen J.O., Lithell H., Pedersen O.: Studies of the genetic variability of the coding region of the hepatocyte nuclear factor-4α in Caucasians with maturity onset NIDDM

Morocutti A., Earle K. A., Rodemann H. P., Viberti G. C.: Premature cell ageing and evolution of diabetic nephropathy 244

Signore A., Annovazzi A., Procaccini E., Beales P.E., Spencer T., Testi R., Ruberti G.: CD95 and CD95-ligand expression in endocrine pancreas of NOD, NOR and BALB/c mice 1476

Sone H., Kawakami Y., Sekine Y., Honmura S., Matsuo K., Segawa T., Suzuki H., Okuda Y., Yamashita K.: Ocular vascular endothelial growth factor levels in diabetic rats are elevated before observable retinal proliferative chan-

Temaru R., Urakaze M., Satou A., Yamazaki K., Nakamura N., Kobayashi M.: High glucose enhances the gene expression of interleukin-8 in human endothelial cells, but not in smooth muscle cells: possible role of interleukin-8 in diabetic macroangiopathy 610

Urhammer S. A., Dalgaard L. T., Sørensen T. I. A., Møller A. M., Andersen T., Tybjærg-Hansen A., Hansen T., Clausen J. O., Vestergaard H., Pedersen O.: Mutational analysis of the coding region of the uncoupling protein 2 gene in obese NIDDM patients: Impact of a common amino acid polymorphism on juvenile and maturity onset forms of obesity and insulin resistance 1227

Urhammer S. A., Rasmussen S. K., Kaisaki P. J., Oda N., Yamagata K., Møller A. M., Fridberg M., Hansen L., Hansen T., Bell G. I., Pedersen O.: Genetic variation in the hepatocyte nuclear factor-1\alpha gene in Danish Caucasians with late-onset NIDDM 473

#### For debates

Aronson D.: Pharmacologic modulation of autonomic tone: implications for the diabetic patient 476

Ceriello A.: Fibrinogen and diabetes mellitus: is it time for intervention trials? 731

Degli Esposti M., Mackay I. R.: The GABA network and the pathogenesis of IDDM 352

Haverkos H. W.: Could the aetiology of IDDM be multifactorial? 1235

Holst J.J., Gromada J., Nauck M. A.: The pathogenesis of NIDDM involves a defective expression of the GIP receptor 984

Islam M. S., Berggren P.-O.: Cyclic ADPribose and the pancreatic beta cell: where do we stand? 1480

Mancia G., Paleari F., Parati G.: Early diagnosis of diabetic autonomic neuropathy: present and future approaches 482

Morale M., De Negri F., Carmassi F.: Fibrin(ogen) and diabetes mellitus: don't forget fibrinolysis 735

Okamoto H., Takasawa S., Nata K.: The CD38-cyclic ADP-ribose signalling

system in insulin secretion: molecular basis and clinical implications 1485

Oubré A. Y., Carlson T. J., King S. R., Reaven G. M.: From plant to patient: an ethnomedical approach to the identification of new drugs for the treatment of NIDDM 614

Pozzilli P., Leslie R. D. G.: Hyperexpression of GAD in the islets may be relevant but is it sufficient to induce autoimmune insulitis? 357

Vague P., Juhan-Vague I.: Fibrinogen, fibrinolysis and diabetes mellitus: a comment 738

#### For discussions

Halban P.: GLUT2 or not GLUT2? That is the question 103

Schuit F.C.: Is GLUT2 required for glucose sensing? 104

Sweet I. R., Matschinsky F. M.: Are there kinetic advantages of GLUT2 in pancreatic glucose sensing? 112

#### Letters to the editors

Alcolado J.C.: Response from the authors 988

Atkinson M., Gendreau P., Ellis T., Petitto J.: NOD mice as a model for inherited deafness 868

Bakker S.J.L., Heine R.J., Gans R.O.B.: Thiamine may indirectly act as an antioxidant 741

Bianda T. L., Glatz Y., Boeni-Schnetzler M., Froesch E. R., Schmid C.: Effects of growth hormone (GH) and insulinlike growth factor-I on serum leptin in GH-deficient adults 363

Birch C.L., Fagan L.J., Armstrong M.J., Turnbull D.M., Walker M.: The S20G islet-associated polypeptide gene mutation in familial NIDDM 1113

Ciccarese M., Tonolo G., Delin I., Wong F. K., Holm P., Atzeni M.M., Lichtenstein P., Kockum I., Maioli M., Luthman H.: Preliminary data on a wide genome search in NIDDM siblings: the NIDDM1 locus on chromosome 2 is not linked to NIDDM in the Sardinian population 1366

Cobelli C., Vicini P., Caumo A.: If the minimal model is too minimal, who suffers more: S<sub>G</sub> or S<sub>1</sub>? 362

Colwell J. A.: Aspirin therapy in diabetes mellitus 867

Franzese A., Valerio G., Argenziano A., De Filippo G., Iannucci M. P., Buono P., Alfonsi L., Pisacane A.: Social deprivation influences illness onset in diabetic children 988

Hattersley A. T., Clark P.M., Page R., Levy J. C., Cox L., Hales C. N., Turner R. C.: Glucokinase deficiency results in a beta-cell disorder characterised by normal fasting plasma proinsulin concentrations 1367

Jenkins A. B., Storlien L. H.: Insulin resistance and hyperinsulinaemia in insulin receptor substrate-1 knockout mice 1113

Jörneskog G., Fatah K., Blombäck M.: Response from the authors 869

Keen R. W., Samaras K., Woodford Richens K. L., Spector T. D., Campbell L. V., Kelly P.J.:  $\beta$ 3-adrenergic receptor gene polymorphisms and determination of adiposity and fat distribution in normal female twins 122

Kobayashi T., Nakanishi K., Murase T.: Response from the authors 1495

La Selva M., Beltramo E., Pagnossi F., Pomero F., Molinatti P. A., Molinatti G. M., Porta M.: Response from the authors 742

Landgraf R.: Response from the author

Lipinski B., Krolewski A. S.: Macromolecular protein complex in human plasma may explain altered fibrin gel structure in IDDM patients 869

Maassen J. A.: Response from the author 1242

Mally M. I., Cirulli V., Hayek A., Otonkoski T.: Response from the authors 122

Milicevic Z., Newlon P.G., Pittenger G.L., Stansberry K.B., Vinik A.I.: Anti-ganglioside GM1 antibody and distal symmetric "diabetic polyneuropathy" with dominant motor features 1364

Mühlhauser I., Sawicki P.T., Berger M.: Possible risk of sulfonylureas in the treatment of non-insulin-dependent diabetes mellitus and coronary artery disease 1492

Odawara M., Yamashita K.: Factor V Leiden mutation and Japanese NIDDM 1363

Odawara M., Yamashita K.: Mutation at nucleotide position 3243 of the mitochondrial DNA as a cause of IDDM – a meta-analysis 1493

Robinson S., Robinson A. C. J., Elkeles R. S., McCarthy M.: Solitary pancreas transplantation 1114

Stassi G., Schloot N., Pietropaolo M.: Islet cell autoantigen 69 kDa (ICA69) is preferentially expressed in the human islets of Langerhans than exocrine pancreas 120

Suzuki Y., Muramatsu T., Taniyama M., Goto Y-i, Oka Y., Suzuki S., Tsukuda K., Atsumi Y., Nonaka I., Hosokawa K., Shimada A., Asahina T., Matsuoka K.: No association of ALDH2 genotype in MELAS 1241

Suzuki Y., Taniyama M., Atsumi Y., Hosokawa K., Asahina T., Shimada A., Murata C., Matsuoka K.: Body type in mitochondrial diabetes 987 Tataranni P. A., Pratley R., Shuldiner A., Ravussin E.:  $\beta_3$ -adrenergic receptor gene variant and lipid metabolism in Pima Indians 123

Zerbini G., Bazzigaluppi E., Mangili R., Bosi E., Bonifacio E.: Prevalence of GAD<sub>65</sub> and IA-2 autoantibodies in IDDM patients affected by diabetic nephropathy 485

## **Workshop** report

Åkerblom H.K., Knip M.: Prevention of IDDM.: strategies based on new observations of molecular pathogenesis 743

# Contents of Suppl 2 to Volume 40

#### Preface

Alberti K. G. M. M., McGarry J. D. S1

#### Insulin

#### Insulin action and secretion

White M. F.: The insulin signalling system and the IRS proteins S2

Lin T. A., Lawrence Jr J. C.: Control of PHAS-I phosphorylation in 3T3-L1 adipocytes: effects of inhibiting protein phosphatases and the p70<sup>S6K</sup> signalling pathway \$18

Ish-Shalom D., Christoffersen C. T., Vorwerk P., Sacerdoti-Sierra N., Shymko R. M., Naor D., De Meyts P.: Mitogenic properties of insulin and insulin analogues mediated by the insulin receptor \$25

Prentki M., Tornheim K., Corkey B. E.: Signal transduction mechanisms in nutrient-induced insulin secretion \$32

Newgard C. B., Clark S., BeltrandelRio H., Hohmeier H. E., Quaade C., Normington K.: Engineered cell lines for insulin replacement in diabetes: current status and future prospects S42

## **New insulins**

Brange J.: The new era of biotech insulin analogues \$48

Slieker L. J., Brooke G. S., DiMarchi R. D., Flora D. B., Green L. K., Hoffmann J. A., Long H. B., Fan L., Shields J. E., Sundell K. L., Surface P. L., Chance R. E.: Modifications in the B10 and B26–30 regions of the B chain of human insulin alter affinity for the human IGF-I receptor more than for the insulin receptor \$54

## Hypoglycaemia

Amiel S. A.: Hypoglycaemia in diabetes mellitus – protecting the brain S62

Boyle P.J.: Alteration in brain glucose metabolism induced by hypoglycaemia in man S69

Maggs D. G., Borg W. P., Sherwin R. S.: Microdialysis techniques in the study of brain and skeletal muscle S75

## Insulin therapy and monitoring

Home P.D.: Intensive insulin therapy in clinical practice \$83

Zinman B.: Translating the Diabetes Control and Complications Trial (DCCT) into clinical practice: overcoming the barriers S88

Berger M., Heinemann L.: Are presently available insulin analogues clinically beneficial? S91

Polonsky K. S., Byrne M. M., Sturis J.: Alternative insulin delivery systems: how demanding should the patient be? \$97

Gough D. A., Armour J. C., Baker D. A.: Advances and prospects in glucose assay technology \$102

#### Macrovascular disease in diabetes

Gerrity R. G., Antonov A. S.: The pathogenesis of atherosclerosis \$108

Prescott S.M., Zimmerman G.A., McIntyre T.M., Stafforini D.M.: Inflammation in the vascular wall as an early event in atherosclerosis \$111

Poston L.: Endothelial control of vascular tone in diabetes mellitus \$113

Ido Y., Kilo C., Williamson J. R.: Cytosolic NADH/NAD+, free radicals, and vascular dysfunction in early diabetes mellitus \$115

Williams B.: Factors regulating the expression of vascular permeability/vascular endothelial growth factor by human vascular tissues \$118

Turner R. C., Millns H., Holman R. R.:
Coronary heart disease and risk factors in NIDDM – experience from the United Kingdom Prospective Diabetes Study \$121

Hanefeld M., Schmechel H., Schwanebeck U., Lindner J., The D. I. S. Group: Predictors of coronary heart disease and death in NIDDM.: The Diabetes Intervention Study experience \$123

Standl E., Schnell O., Balletshofer B., Schleicher E., Muhr D., Ziegler A.G., Haslbeck M.: Influence of diabetes mellitus on the heart and macrovascular mortality \$125 Fisher B. M.: Heart abnormalities in IDDM S127

Goodfellow J.: Microvascular heart disease in diabetes mellitus S130

Sawicki P. T., Heise T., Berger M.: Antihypertensive treatment and mortality in diabetic patients. What is the evidence? S134

Haffner S. M.: Impaired glucose tolerance – is it relevant for cardiovascular disease? \$138

Yki-Järvinen H., Mäkimattila S.: Insulin resistance due to hyperglycaemia: an adaptation protecting insulin-sensitive tissues \$141

Yudkin J. S.: Is insulin vasculotoxic? S145

Steiner G.: Diabetes mellitus, dyslipoproteinaemias and atherosclerosis \$147

Betteridge D.J.: LDL heterogeneity: implications for atherogenicity in insulin resistance and NIDDM \$149

Sniderman A.D., Cianflone K., Frayn K.: The pathogenetic role of impaired fatty acid trapping by adipocytes in generating the pleiotropic features of hyperapoB S152

Chan L., Kobayashi K.: Molecular basis and promise of genetic therapy for diabetic dyslipidaemia: studies in an animal model of diabetes \$155

Ulrich P., Zhang X.: Pharmacological reversal of advanced glycation end-product-mediated protein crosslinking \$157

Smits P.: Cardiovascular effects of sulphonylurea derivatives \$160

## Contents of Suppl 3 to Volume 40

#### Introduction B1

Denton R. M., Kahn C. R., Harbeck M., Heesom K. I.: Insulin action on metabolism B3

Foley J., O'Doherty R., Stein D.: Insulin resistance B10

Lane M. D., Loftus T., Maggs D.: The adipose tissue/central nervous system axis B16

McGarry J.D., Weir G., Björklund A., Yaney G.: Fatty acids and beta-cell function B21

Bonner-Weir S., Neilsen J. H., Corbett J., Serup P.: Beta-cell ontogeny: growth and death B27

Halban P., Polonsky K., Regazzi R., Verchere C. B.: Insulin production: from gene to granule B33

Brownlee M., Colton C., Ferber S., Heimberg H.: Surrogate beta cells B 39 Barker C.F., Lafferty K.J., Desai N.M., Korbutt G.S.: Beta-cell replacement

Harrison L., Rabinovitch A., Noorchashm H., Kwok W.: Immunology of IDDM B50

Nerup J., Rossini A., Honeyman M., Wasserfall C.: Prediction and prevention of IDDM B58

Czernichow P., Marchese R., Newfield R., Polak M.: Epidemiology and genetics of diabetic complications B 62

Czernichow P., Marchese R., Fioretto P., Newfield R.S., Polak M.: Pathophysiology of diabetic complications B65

Czernichow P., Drummond K., Bilous R., Fioretto P.: Growth factors and diabetic nephropathy: kidney structure and therapeutic interventions B68

Sima A., Williamson J., Feener E., Pu S.-F.: Diabetic neuropathies B74 Alberti K. G. M. M, King G., Caprio S., Wong S.: Cardiovascular complications of diabetes B78

Cryer P., Sherwin R., Baker D., Evans M.: Hypoglycaemia and glucose sensing B83

Berger M., Binder C., Johannesen J., Petersen K. F.: New insulins and other possible therapeutic approaches B89

## **EASD News Section**

1-6, 7, 9, 13, 19, 21, 29, 39, 41

## Book reviews

365, 486

## Errata

366, 870

#### List of referees

1497

## **Author index**

1502

## **Subject index**

1508

## **Contents of Volume 40**

I–X